



## Questions are for both triple and combined science students unless indicated in the question

Q1.

The theory of evolution states that organisms alive today evolved by natural

selec	ction from other species that are now extinct.	
(a)	Which two scientists proposed the theory of evolution by natural selection? Tick	
	(√) two boxes. (triple only)	
	Alexander Fleming	
	Alfred Russel Wallace	
	Carl Linnaeus	
	Carl Woese	
	Charles Darwin	
		(2)
Foss	sils provide evidence for evolution.	
The	figure below shows a fossil footprint of a dinosaur.	
(b)	What is a fossil?	
		(2)




(c)	How was the fossil in the figure above for	med?	
	Tick $(\checkmark)$ one box.		
	Body parts were replaced by minerals.		
	The animal walked on mud.		
	The animal was frozen in ice.		
			(1)
(d)	Dinosaurs are extinct.		
	Give two causes of extinction.		
	1		_
	2		_
			- (2)
(e)	Which two of the following provide evider	nce for evolution? Tick	
	$(\checkmark)$ two boxes.		
	Bacteria can become resistant to an antibiotic.		
	Early forms of life lived in the ocean.		
	Older fossils are simpler than more recent ones.		
	Older layers of rock are closer to the surface.		
			(2) (Total 9 marks)
			LIDIAL 4 Marks



Q2.

The image below shows what the extinct Siberian rhinoceros (*Elasmotherium sibiricum*) might have looked like.



Tick ( $\checkmark$ ) one box.	
Elasmotherium	
Elasmotherium sibiricum	
sibiricum	
	(1)

The 'three-domain system' of classification places all living organisms in one of three domains.

(b) Which domain was the Siberian rhinoceros in?

What is the genus of the Siberian rhinoceros?


Tick (✓) one box. Archaea



Who developed the 'three-domain system' of classification? Tick  (/) one box.  Carl Woese  Charles Darwin  Gregor Mendel  The horn of the Siberian rhinoceros is estimated to have been 150 cm long.  Suggest one advantage of this adaptation to the Siberian rhinoceros.  The only parts of the Siberian rhinoceros that have been found are fossilised bones.  Give one reason why only the bones of the body of the Siberian rhinoceros became fossils.  Suggest how scientists can estimate when the Siberian rhinoceros was alive.	Eukaryota		
Carl Woese Charles Darwin Gregor Mendel  The horn of the Siberian rhinoceros is estimated to have been 150 cm long. Suggest one advantage of this adaptation to the Siberian rhinoceros.  The only parts of the Siberian rhinoceros that have been found are fossilised bones.  Give one reason why only the bones of the body of the Siberian rhinoceros became fossils.	Prokaryota		
Carl Woese Charles Darwin Gregor Mendel  The horn of the Siberian rhinoceros is estimated to have been 150 cm long. Suggest one advantage of this adaptation to the Siberian rhinoceros.  The only parts of the Siberian rhinoceros that have been found are fossilised bones.  Give one reason why only the bones of the body of the Siberian rhinoceros became fossils.			
Carl Woese  Charles Darwin  Gregor Mendel  The horn of the Siberian rhinoceros is estimated to have been 150 cm long.  Suggest one advantage of this adaptation to the Siberian rhinoceros.  The only parts of the Siberian rhinoceros that have been found are fossilised bones.  Give one reason why only the bones of the body of the Siberian rhinoceros became fossils.	Who developed th	e 'three-domain system' of classification? Tick	
Charles Darwin  Gregor Mendel  The horn of the Siberian rhinoceros is estimated to have been 150 cm long.  Suggest one advantage of this adaptation to the Siberian rhinoceros.  The only parts of the Siberian rhinoceros that have been found are fossilised bones.  Give one reason why only the bones of the body of the Siberian rhinoceros became fossils.	$(\checkmark)$ one box.		
The horn of the Siberian rhinoceros is estimated to have been 150 cm long.  Suggest one advantage of this adaptation to the Siberian rhinoceros.  The only parts of the Siberian rhinoceros that have been found are fossilised bones.  Give one reason why only the bones of the body of the Siberian rhinoceros became fossils.	Carl Woese		
The horn of the Siberian rhinoceros is estimated to have been 150 cm long.  Suggest one advantage of this adaptation to the Siberian rhinoceros.  The only parts of the Siberian rhinoceros that have been found are fossilised bones.  Give one reason why only the bones of the body of the Siberian rhinoceros became fossils.	Charles Darwin		
Suggest one advantage of this adaptation to the Siberian rhinoceros.  The only parts of the Siberian rhinoceros that have been found are fossilised bones.  Give one reason why only the bones of the body of the Siberian rhinoceros became fossils.	Gregor Mendel		
Suggest one advantage of this adaptation to the Siberian rhinoceros.  The only parts of the Siberian rhinoceros that have been found are fossilised bones.  Give one reason why only the bones of the body of the Siberian rhinoceros became fossils.			
The only parts of the Siberian rhinoceros that have been found are fossilised bones.  Give one reason why only the bones of the body of the Siberian rhinoceros became fossils.	The horn of the Si	berian rhinoceros is estimated to have been 150 cm long.	
fossilised bones.  Give one reason why only the bones of the body of the Siberian rhinoceros became fossils.	Suggest one adva	intage of this adaptation to the Siberian rhinoceros.	
fossilised bones.  Give one reason why only the bones of the body of the Siberian rhinoceros became fossils.			
fossilised bones.  Give one reason why only the bones of the body of the Siberian rhinoceros became fossils.	<del></del>		
rhinoceros became fossils.	The only parts of t fossilised bones.	he Siberian rhinoceros that have been found are	
Suggest how scientists can estimate when the Siberian rhinoceros was alive.			
Suggest how scientists can estimate when the Siberian rhinoceros was alive.			
	Suggest how scien	itists can estimate when the Siberian rhinoceros was alive.	

The below diagram shows when the Siberian rhinoceros existed and when modern humans existed.





(g)	How many million years ago did the Siberian rhinoceros become extinct?	
	million years ac	jo (1)
(h)	Determine the time in years when both the Siberian rhinoceros and modern humans existed together.	
	Use the diagram above and your answer to Question (g).	
	Time	<b>r</b> 0

2 \_\_\_\_\_

(2) (Total 12 marks)

(3)


(2)



Q3.

Figure 1 shows when two mammals existed in Asia.

Figure 1



		-
	Time =	year
Th	ne oldest fossils of human ancestors found in this area are 700 000 years	s old
Ar	ndrewsarchus was a carnivore and Brontotherium was a herbivore.	
	uggest how the extinction of Andrewsarchus could have resulted in the clinction of Brontotherium.	
_		-
		-
		-
		-

(3)

(3)




(c) Information about extinct animals is often not clear because the fossil record is incomplete.

Give three reasons why the fossil record is not clear for older species.

Figure 2 shows the percentage (%) survival of large mammal species in four areas of the world.

The time at which humans first appeared in each of the four areas is also shown.



A mass extinction is a rapid decrease in biodiversity on Earth.

(d)

(e)




A student stated:	
'The data in Figure 2 shows that humans caused mass extinctions.'	
Evaluate the student's statement.	
	(6
Give one disadvantage and one advantage of mass extinction events.	
Answer in terms of evolution.	
Disadvantage	
Advantage	
Auvanlage	
	(2
	(Total 16 marks



Q4.

Figure 1 shows a flightless bird called the dodo (Raphus cucullatus).

Figure 1



## The dodo:

- was 1 m tall
- had a mass of 20 kg
- lived in rainforests on a tropical island
- ate fruits
- made its nest on the ground.

A female dodo laid only one egg each year.

Humans arrived on the island in the year 1507. By 1681 the dodo was extinct.

(a) What is the genus of the dodo?

Tick  $(\checkmark)$  one box.

Animal

Bird

Raphus

(1)

(b) Before the arrival of humans, there were no other large animals living on the island.



1	
2	
humans are cutting down large	areas of tropical rainforests.
Suggest one use of the land afte	er the trees have been removed.
Why does the removal of trees of atmosphere?	cause an increase in carbon dioxide in the
Tick (✓) two boxes.	
There are fewer animals.	
There is less photosynthesis.	
There is less respiration.	
The soil dries out.	
The trees are burned.	
What effect would an increase ir air temperature?	n carbon dioxide in the atmosphere have on global
Tick (✓) one box.	
Decrease	
Increase	



Stay the same	27	25
	63	

(1)

(2)

'Sustainable forestry' reduces the harmful effects of cutting down trees on the environment.

Figure 2 shows a method of 'sustainable forestry'.

Numbers 1–9 show different parts of a rainforest.

Figure 2

## Map of the rainforest 9 Old growth 2 8 3 7 0 100 km

The trees are cut down in the sequence 1-2-3-4-5-6-7-8-9

- The trees are cut down in only one area at any one time.
- It takes 30 years to cut down the trees in each area.
- The trees in the 'Old growth' area are never cut down.
- (f) How many years would it take to cut down the trees in all of the numbered areas in Figure 2?

\_\_\_\_\_

\_\_\_\_\_

Number of years = \_\_\_\_\_

(g) The rainforest contains:

- 750 species of trees
- 400 species of birds

150 species of butterflies



	many other species of plants and animals.	
	Explain how the pattern of cutting down trees shown in Figure 2 stops the biodiversity of the rainforest being reduced.	ne
		_
		(4 (Total 13 marks
ss	ils give evidence about organisms that lived a long time ago.	
	Scientists have found very few fossils of the earliest life forms. Give	
	one reason why.	
	w is a photograph of a fossilised fish	(1

Q5.





(b)	Suggest how the fossil in the photograph above was formed.	
		(2)
(c)	The species of fish shown in the photograph above is now extinct. Give	
	two possible causes of extinction.	
	1.	
	2.	
		(2)
Mode	ern fish species have evolved from fish that lived a long time ago.	
Evol	ution is caused by mutation and natural selection.	
(d)	What is a mutation?	
	Tick one box.	
	A change in a gene	




	Accidental damage to an organism	
	An organism with a new characteristic	
	The loss of a species	40
(e)	Describe the process of natural selection.	(1)
		(3) (Total 9 marks)
Foss	sils provide evidence about organisms that lived a long time ago.	
(a)	Give one way a fossil may be formed.	
		\ /

Figure 1 shows the fossils of two species of ammonite.

Q6.



Figure 1



(b)	Use a ruler to measure the diameter of P and the diameter of Q in
	millimetres

Diameter of P = \_\_\_\_\_mm

Diameter of Q = \_\_\_\_\_mm

(1)

(1)

(1)

(c) Calculate the diameter of the real fossil of ammonite Q.

Use your answer to part (b) and the scale factor given in Figure 1.

Diameter of the real fossil of ammonite Q = \_\_\_\_\_mmm

(d) How many times larger is ammonite Q compared to ammonite P? Tick one box.

0.4 0.8 1.25 2.5

(e) Describe two ways the fossil of ammonite Q is different from the fossil of

(f)



ammonite P.	
Do not give answers referring to size.	
1.	<del> </del>
2.	
	(2)
Figure 2 shows:	
• four layers of rock, A, B, C and D	
• where the fossils of ammonites P and	Q were found.
Figure 2	
Will will will will All All All All All All All All All	Fossil P
Which statement is evidence that ammonite of ammonite P?	Q may have evolved from
Tick one box.	
P and Q are both found in limestone.	
Q was found in newer rocks than P.	
P is a darker colour than Q.	
Q has a smaller mass than P.	

(1)



Suggest now long ago ammonites P and Q were alive. Tick	
one box.	
100 years	
1000 years	
100 million years	
100 billion years	
	(1)
Ammonites are now extinct.	
Suggest three possible causes of extinction.	
1.	
2.	
	_
3.	
	(3)
Give one reason why scientists cannot be sure about what caused the ammonites to become extinct.	(0)
	— (1) (Total 12 marks)
	one box.  100 years  1000 years  100 million years  100 billion years  Ammonites are now extinct.  Suggest three possible causes of extinction.  1.  2.  Give one reason why scientists cannot be sure about what caused the



Q7.

Charles Darwin proposed the theory of natural selection.

Many people at the time did not accept his theory.

(a) There was a different theory at the same time as Darwin's theory.

The different theory said that changes in an organism during its life could be inherited.


Who proposed this theory? (triple only)

\_\_\_\_\_

(1)

(b) Studying fossils helps scientists understand how living things have evolved.

The diagram below shows a fossilised snake.




© Peter Menzel/Science Photo Library

Explain how the fossil in the diagram above may have formed.

(3)



(c) There are many types of rat snake in the world. The table below shows two types of rat snake.



The different types of rat snake have evolved from similar ancestors.

Explain how the Japanese rat snake evolved to be different from the Texas

The rat snakes have evolved to to suit their environments.

rat snake.	(triple only)	
		<del></del>
		<del></del>
		<del></del>
		<del></del>
Many species	s of snake have become extinct.	
Give one rea	son why a species might become extinct.	



(Total 9 marks)

Q8.		

Darwin's theory	of natural	selection	states	that a	all living	things	have	evolved	from	simple
life forms.					•	•				•

(a) Use the correct answer from the box to complete the sentence. (triple only)

	three billion	three million	three thousand
	Darwin's theory states years ago.	that life began on Earth	(1)
(b)	Life evolved due to cha	anges in genes. Changes in gen	es cause variation.
	Complete the sentence	es.	
	Changes in genes are	called	
	Individuals with charac	steristics most suited to the envir	onment are more likely
	to survive and	·	
			(2)
			(Total 3 marks)

Q9.

Over millions of years:

- · new groups of organisms have evolved
- other groups of organisms have become extinct.
- (a) If an asteroid collided with the Earth, large amounts of dust and water vapour would be thrown up into the air. This would mean less light and heat would reach the Earth's surface from the Sun.
  - A reduced amount of light and heat could have caused the extinction of plants.

Suggest how.		
	· · · · · · · · · · · · · · · · · · ·	
		(1)


(ii) How could the extinction of plants have caused the extinction of some animals?



Give two reasons, other animals may become exi	than collision with an asteroid, why groups of tinct.
1.	
2.	

(b) The graph shows how the rate of extinction of groups of animals has varied over the past 300 million years.





(i) If more than 10 groups of animals become extinct in a 1 million year period, scientists call this a 'mass extinction'.

How many mass extinctions occurred over the past 300 million years?

(1)

(ii) How do we know what types of animals lived hundreds of millions of years ago?

(c)



	How many years ago did the most recent mass extinction of animals occur?
	Tick ( <b>√</b> ) one box.
	50 million years ago
	65 million years ago
	250 million years ago
	What was the mean number of groups of animals becoming extinct per million years in the most recent mass extinction?
	groups per million years
)	Why are scientists not sure how many groups of animals became extinct in the most recent mass extinction?



## Q10.

Figure 1 is a map showing a group of islands in the Pacific Ocean, near the coast of California, USA.

Figure 1



A species of fox, called the Island Fox, lives on each of the six islands shown in Figure 1

Figure 2 shows an Island Fox.

Figure 2



© GaryKavanagh/iStock

The foxes on each island are slightly different from those on the other islands.



The Island Foxes are similar to another species of fox, called the Grey Fox.

The Grey Fox lives in mainland California.

s no ago: a sir	entists believe that ancestors of the modern Island Fox first colonised what ow Santa Cruz Island during the last Ice Age, approximately 16 000 years. At that time, lowered sea levels made the three northernmost islands into a nigle island and the distance between this island and the mainland was used to about 8 km.
(i)	How could the Island Fox have developed into a completely different species from the mainland Grey Fox? (triple only)
ii)	Suggest why the Island Foxes have developed into different varieties of the



<del></del>		
(1)		
(Total 8 marks)		